

RESERVE STUDIES | INSURANCE APPRAISALS | WIND MITIGATION



Prepared Exclusively for Casa Del Sol Association, Inc.

As of 10-14-2024 | FPAT File# MUD2423385

Felten Property Assessment Team

866.568.7853 | www.fpat.com



RECAPITULATION OF MITIGATION FEATURES For 2440 Winding Creek Blvd, Units 101-308

1. Building Code: Unknown or does not meet the requirements of Answer A or B

Comments: The year of construction was verified as 1984 per Pinellas County

Property Appraiser.

2. Roof Covering: FBC Equivalent

Comments: The flat roof covering was replaced in 2018. The roof permit was

confirmed and the permit number is CW18-15073. The pitched roof covering was replaced in 2023. The roof permit was confirmed and the permit number is EBP-23-19120. This roof was verified as meeting the building code requirements outlined on the mitigation

affidavit.

3. Roof Deck Attachment: Reinforced Concrete Roof Deck

Comments: Inspection verified a roof structure composed of cast-in-place or pre-

cast structural concrete designed to be self-supporting and integrally

attached to the wall / support system.

4. Roof to Wall Structural

Attachment:

Comments: Inspection verified a roof structure composed of cast-in-place or pre-

cast structural concrete designed to be self-supporting and integrally

attached to the wall / support system.

5. Roof Geometry: Flat Roof

Comments: Inspection verified flat roof shape, refer to attached photographs.

6. SWR: No

Comments: SWR does not apply to reinforced concrete roof decks.

7. Opening Protection: None or Some Glazed Openings

Comments: No opening protection verified at the time of inspection.

Address Verification



Exterior Elevation



Exterior Elevation



SUPPORTING DOCUMENTION OF WINDSTORM MITIGATION FEATURES LOCATED AT: 2440 Winding Creek Blvd, Units 101-308

FPAT File #MUD2423385

Exterior Elevation



Inspections Status

Case / Application / Permit Number Type / Classification

Address

Parcel Number File Date Status Status Date Valuation Fees

Payments Balance Description

CW18-15073
COMBOWEB
RFCFLT: Roofing - Commercial Flat
BLDG: Building Department
2440 WINDING CREEK BLVD Pinellas County, FL 192816140530000001

2018-11-01 FINALED \$62,800.00 \$219.55 \$219.55 \$0.00

FL 2533.1 Flat 123 sq

Roof Permit Information

Roof Permit Information

View Map (Click the "Back" button on the browser to return to Permit Manager.)

•
water softener? Virtual inspections are now available for these permit types. <u>Learn more</u> . Project Description. Project Personnies. RECOVER AND REPUGGE TILE ON MANISARD PORTION OF ROOMERS BUILDING.
Commercial
Roofing
Tile
06/09/2024
20800
2
2 15: 8/12-18/12

Roof Construction



Roof Construction



Roof Construction



Roof Construction







Uniform Mitigation Verification Inspection Form

ivialitian a copy of this form and any documentation provided with the insulance pone	Maintain a copy of this form and any documentation provided with the insurance poli
---	---

Inspection Date: 10-14-2024						
Owner Information						
Owner Name: Casa Del Sol Association, Inc	c.	Contact Person: Jenny Kidd				
Address: 2440 Winding Creek Blvd, Units	101-308	Home Phone:				
City: Clearwater	Zip: 33761	Work Phone: (727) 726-8000				
County: Pinellas		Cell Phone:				
Insurance Company:		Policy #:				
Year of Home: 1984	# of Stories: 3	Email: jkidd@ameritechmail.com				

NOTE: Any documenta accompany this form. A though 7. The insurer n	t least one photogr	raph must accor	mpany this form t	o validate each a	ittribute marked	in questions 3
[] B. For the HVHZ Only	nde or Broward cour with the FBC: Year g Permit Application r: Built in compliand application with a da	nties), South Flor r Built. For how n Date (MM/DD/YYY) ce with the SFBO ate after 9/1/1994	rida Building Code mes built in 2002/2 ^(Y) C-94: Year Built _ 4: Building Permit	(SFBC-94)? 003 provide a per	rmit application w	rith a date after
 Roof Covering: Select OR Year of Original I covering identified. 					o verify complian	ace for each roof
2.1 Roof Covering Type		mit Application Date	FBC or MDC Product Approval #	Year of Original Insta Replacement	illation or	No Information Provided for Compliance
[] 1. Asphalt/Fibergla [X] 2. Concrete/Clay [] 3. Metal [] 4. Built Up [X] 5. Membrane [] 6. Other	Tile 1	1-20-2023		2023		0 0 0 0 0
[] B. All roof coverings	have a roofing perminave a Miami-Dade on after 9/1/1994 and overings do not mee	It application dat Product Approved before 3/1/200 to the requirement	te on or after 3/1/02 val listing current at 2 OR the roof is or nts of Answer "A"	OR the roof is on time of installation	riginal and built in on OR (for the H	n 2004 or later.
-OR- Any system uplift less than that	strand board (OSB) spaced at 6" along the of screws, nails, and at required for Option	roof sheathing he edge and 12" dhesives, other ons B or C below	attached to the roo in the fieldOR- B deck fastening syst	f truss/rafter (spac atten decking sup em or truss/rafter	porting wood shaler spacing that has	kes or wood shingles an equivalent mean
[] B. Plywood/OSB roo						paced a maximum of ews. nails, adhesives

other deck fastening system or truss/rafter spacing that is shown to have an equivalent or greater resistance than 8d nails spaced a maximum of 12 inches in the field or has a mean uplift resistance of at least 103 psf.

[] C. Plywood/OSB roof sheathing with a minimum thickness of 7/16"inch attached to the roof truss/rafter (spaced a maximum of 24"inches o.c.) by 8d common nails spaced a maximum of 6" inches in the field. -OR- Dimensional lumber/Tongue & Groove decking with a minimum of 2 nails per board (or 1 nail per board if each board is equal to or less than 6 inches in width). -OR-Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

182 psf.	
	ced Concrete Roof Deck.
[] E. Other:	
[] F. Unknown	
[] G. No attic a	ccess.
	<u>Il Attachment</u> : What is the <u>WEAKEST</u> roof to wall connection? (Do not include attachment of hip/valley jacks within inside or outside corner of the roof in determination of WEAKEST type)
[] A. Toe Nails	** /
	[] Truss/rafter anchored to top plate of wall using nails driven at an angle through the truss/rafter and attached to the top plate of the wall, or
	[] Metal connectors that do not meet the minimal conditions or requirements of B, C, or D
Minimal cor	nditions to qualify for categories B, C, or D. All visible metal connectors are:
	[]Secured to truss/rafter with a minimum of three (3) nails, and
	[]Attached to the wall top plate of the wall framing, or embedded in the bond beam, with less than a ½" gap from the blocking or truss/rafter and blocked no more than 1.5" of the truss/rafter, and free of visible severe corrosion.
] B. Clips	
	[] Metal connectors that do not wrap over the top of the truss/rafter, or [] Metal connectors with a minimum of 1 strap that wraps over the top of the truss/rafter and does not meet the nail
T C C:1- W	position requirements of C or D, but is secured with a minimum of 3 nails.
C. Single Wr	Metal connectors consisting of a single strap that wraps over the top of the truss/rafter and is secured with a
	minimum of 2 nails on the front side and a minimum of 1 nail on the opposing side.
D. Double W	
[] D. Dewele	[] Metal Connectors consisting of 2 separate straps that are attached to the wall frame, or embedded in the bond
	beam, on either side of the truss/rafter where each strap wraps over the top of the truss/rafter and is secured with a
	minimum of 2 nails on the front side, and a minimum of 1 nail on the opposing side, or
	[] Metal connectors consisting of a single strap that wraps over the top of the truss/rafter, is secured to the wall on both sides, and is secured to the top plate with a minimum of three nails on each side.
	al Anchor bolts structurally connected or reinforced concrete roof.
F. Other:	
[] G. Unknown	
] H. No attic a	ccess
	etry: What is the roof shape? (Do not consider roofs of porches or carports that are attached only to the fascia or wall of cture over unenclosed space in the determination of roof perimeter or roof area for roof geometry classification).
[] A. Hip Roof	
[X] B. Flat Roo	· ·
[] C. Other Roo	than 2:12. Roof area with slope less than 2:12: sq ft; Total roof area: sq ft Any roof that does not qualify as either (A) or (B) above.
[] A. SWR (als	<u>Water Resistance (SWR)</u> : (standard underlayments or hot-mopped felts do not qualify as an SWR) o called Sealed Roof Deck) Self-adhering polymer modified-bitumen roofing underlayment applied directly to the ng or foam adhesive SWR barrier (not foamed-on insulation) applied as a supplemental means to protect the dwelling
	ater intrusion in the event of roof covering loss.
[X] B. No SWI	
] C. Unknown	or undetermined.

or greater resistance than 8d common nails spaced a maximum of 6 inches in the field or has a mean uplift resistance of at least

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

7. **Opening Protection:** What is the **weakest** form of wind borne debris protection installed on the structure? **First**, use the table to determine the weakest form of protection for each category of opening. **Second**, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings **and** (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

	ening Protection Level Chart	Glazed Openings			Non-Glazed Openings		
openi form	an "X" in each row to identify all forms of protection in use for each ng type. Check only one answer below (A thru X), based on the weakest of protection (lowest row) for any of the Glazed openings and indicate eakest form of protection (lowest row) for Non-Glazed openings.	Windows or Entry Doors	Garage Doors	Skylights	Glass Block	Entry Doors	Garage Doors
N/A	Not Applicable- there are no openings of this type on the structure		Х	Х	Χ		Χ
Α	Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights)						
В	Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights)						
С	Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007						
D	Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330, ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance						
N	Opening Protection products that appear to be A or B but are not verified						
IN	Other protective coverings that cannot be identified as A, B, or C						
Х	No Windborne Debris Protection	Х				Χ	

- [] <u>A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only)</u> All Glazed openings are protected at a minimum, with impact resistant coverings or products listed as wind borne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level A in the table above).
 - Miami-Dade County PA 201, 202, and 203
 - Florida Building Code Testing Application Standard (TAS) 201, 202, and 203
 - American Society for Testing and Materials (ASTM) E 1886 and ASTM E 1996
 - Southern Standards Technical Document (SSTD) 12
 - For Skylights Only: ASTM E 1886 and ASTM E 1996
 - For Garage Doors Only: ANSI/DASMA 115
 - [] A.1 All Non-Glazed openings classified as A in the table above, or no Non-Glazed openings exist
 - ☐ A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level B, C, N, or X in the table above
 - [] A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above
- [] B. Exterior Opening Protection- Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only) All Glazed openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):
 - ASTM E 1886 and ASTM E 1996 (Large Missile 4.5 lb.)
 - SSTD 12 (Large Missile 4 lb. to 8 lb.)
 - For Skylights Only: ASTM E 1886 and ASTM E 1996 (Large Missile 2 to 4.5 lb.)
 - B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist
 - ☐ B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X in the table above
 - ☐ B.3 One or More Non-Glazed openings is classified as Level C, N, or X in the table above
- [] <u>C. Exterior Opening Protection- Wood Structural Panels meeting FBC 2007</u> All Glazed openings are covered with plywood/OSB meeting the requirements of Table 1609.1.2 of the FBC 2007 (Level C in the table above).

C.1 All Non-Glazed openings classified as A, B, or C in the table above, or no Non-Glazed opening

- ☐ C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above
- ☐ C.3 One or More Non-Glazed openings is classified as Level N or X in the table above

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

FP/	AT	Fil	P	#IV	Ш	\mathbf{D}^2	.42	23	3	R	5

[] <u>N</u> .	protective coverings not meeting the requirements of	f Answer "A", "B", or C" o					
	"B" with no documentation of compliance (Level N	· · · · · · · · · · · · · · · · · · ·	Cl. 1 · · · · ·				
	N.1 All Non-Glazed openings classified as Level A, B, C, on N.2 One or More Non-Glazed openings classified as Level I table above						
	N.3 One or More Non-Glazed openings is classified as Leve	el X in the table above					
[X] <u>Y</u>	X. None or Some Glazed Openings One or more Glazed		vel X in the table above.				
	MITIGATION INSPECTIONS MUST E Section 627.711(2), Florida Statutes, prov	~					
Qua	lified Inspector Name: John Felten	License Type: CBC	License or Certificate #: CBC1255984				
Insp	ection Company: Felten Property Assessment Team	1	Phone: 866-568-7853				
Qua	lified Inspector – I hold an active license as a	: (check one)					
☐ H	ome inspector licensed under Section 468.8314, Florida Statute aining approved by the Construction Industry Licensing Board	es who has completed the statut and completion of a proficienc	tory number of hours of hurricane mitigation y exam.				
	uilding code inspector certified under Section 468.607, Florida eneral, building or residential contractor licensed under Section						
□ P	rofessional engineer licensed under Section 471.015, Florida Sta	atutes.					
□ P							
Any other individual or entity recognized by the insurer as possessing the necessary qualifications to properly complete a uniform mitigation verification form pursuant to Section 627.711(2), Florida Statutes.							
Individuals other than licensed contractors licensed under Section 489.111, Florida Statutes, or professional engineer licensed under Section 471.015, Florida Statues, must inspect the structures personally and not through employees or other persons. Licensees under s.471.015 or s.489.111 may authorize a direct employee who possesses the requisite skill, knowledge, and experience to conduct a mitigation verification inspection.							
I, <u>John Felten</u> am a qualified inspector and I personally performed the inspection or (<i>licensed contractors and professional engineers only</i>) I had my employee (<u>Joshua Pierson</u>) perform the inspection and I agree to be responsible for his/her work.							
Qualified Inspector Signature: Date: 10-14-2024							
An individual or entity who knowingly or through gross negligence provides a false or fraudulent mitigation verification form is subject to investigation by the Florida Division of Insurance Fraud and may be subject to administrative action by the appropriate licensing agency or to criminal prosecution. (Section 627.711(4)-(7), Florida Statutes) The Qualified Inspector who certifies this form shall be directly liable for the misconduct of employees as if the authorized mitigation inspector personally performed the inspection.							
	neowner to complete: I certify that the named Qualification identified on this form and that proof of identification						
Sign	nature:	Date:					
An individual or entity who knowingly provides or utters a false or fraudulent mitigation verification form with the intent to obtain or receive a discount on an insurance premium to which the individual or entity is not entitled commits a misdemeanor of the first degree. (Section 627.711(7), Florida Statutes)							
The definitions on this form are for inspection purposes only and cannot be used to certify any product or construction feature as offering protection from hurricanes.							

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.